



PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	OMIM	Bo
Search PubMed	for <u>chimeric parainfluenza virus</u>						Go	Clear
Limits		Preview/Index		History		Clipboard		Details
Display		Summary		Sort	Save	Text	Clip Add	Order
Show: 20		Items 1-20 of 42		Page 1 of 3		Select page: 1 2 3		

Entrez PubMed

PubMed Services

Related Resources

- ☐ **1:** Haller AA, MacPhail M, Mitiku M, Tang RS. Related Articles
A single amino acid substitution in the viral polymerase creates a temperature-sensitive and attenuated recombinant bovine parainfluenza virus type 3.
Virology. 2001 Sep 30;288(2):342-50.
PMID: 11601905 [PubMed - in process]
- ☐ **2:** Skiadopoulos MH, Surman SR, Riggs JM, Collins PL, Murphy BR. Related Articles
A chimeric human-bovine parainfluenza virus type 3 expressing measles virus hemagglutinin is attenuated for replication but is still immunogenic in rhesus monkeys.
J Virol. 2001 Nov;75(21):10498-504.
PMID: 11581420 [PubMed - indexed for MEDLINE]
- ☐ **3:** Stope MB, Karger A, Schmidt U, Buchholz UJ. Related Articles
Chimeric bovine respiratory syncytial virus with attachment and fusion glycoproteins replaced by bovine parainfluenza virus type 3 hemagglutinin-neuraminidase and fusion proteins.
J Virol. 2001 Oct;75(19):9367-77.
PMID: 11533200 [PubMed - indexed for MEDLINE]
- ☐ **4:** Tao T, Skiadopoulos MH, Davoodi F, Surman SR, Collins PL, Murphy BR. Related Articles
Construction of a live-attenuated bivalent vaccine virus against human parainfluenza virus (PIV) types 1 and 2 using a recombinant PIV3 backbone.
Vaccine. 2001 Jun 14;19(27):3620-31.
PMID: 11395195 [PubMed - indexed for MEDLINE]
- ☐ **5:** Bousse T, Takimoto T, Matrosovich T, Portner A. Related Articles
Two regions of the P protein are required to be active with the L protein for human parainfluenza virus type 1 RNA polymerase activity.
Virology. 2001 May 10;283(2):306-14.
PMID: 11336555 [PubMed - indexed for MEDLINE]
- ☐ **6:** Mandelboim O, Lieberman N, Lev M, Paul L, Arnon TI, Bushkin Y, Davis DM, Strominger JL, Yewdell JW, Porgador A. Related Articles
Recognition of haemagglutinins on virus-infected cells by NKp46 activates lysis by human NK cells.
Nature. 2001 Feb 22;409(6823):1055-60.
PMID: 11234016 [PubMed - indexed for MEDLINE]
- ☐ **7:** Schmidt AC, McAuliffe JM, Huang A, Surman SR, Bailly JE, Elkins WR, Collins PL, Murphy BR, Skiadopoulos MH. Related Articles

Bovine parainfluenza virus type 3 (BPIV3) fusion and hemagglutinin-neuraminidase glycoproteins make an important contribution to the restricted replication of BPIV3 in primates.

J Virol. 2000 Oct;74(19):8922-9.

PMID: 10982335 [PubMed - indexed for MEDLINE]

- ☐ 8: Durbin AP, Skiadopoulos MH, McAuliffe JM, Riggs JM, Surman SR, Collins PL, Murphy BR. Related Articles

Human parainfluenza virus type 3 (PIV3) expressing the hemagglutinin protein of measles virus provides a potential method for immunization against measles virus and PIV3 in early infancy.

J Virol. 2000 Aug;74(15):6821-31.

PMID: 10888621 [PubMed - indexed for MEDLINE]

- ☐ 9: Tao T, Skiadopoulos MH, Davoodi F, Riggs JM, Collins PL, Murphy BR. Related Articles, Nucleotide, Protein

Replacement of the ectodomains of the hemagglutinin-neuraminidase and fusion glycoproteins of recombinant parainfluenza virus type 3 (PIV3) with their counterparts from PIV2 yields attenuated PIV2 vaccine candidates.

J Virol. 2000 Jul;74(14):6448-58.

PMID: 10864657 [PubMed - indexed for MEDLINE]

- ☐ 10: Bailly JE, McAuliffe JM, Durbin AP, Elkins WR, Collins PL, Murphy BR. Related Articles

A recombinant human parainfluenza virus type 3 (PIV3) in which the nucleocapsid N protein has been replaced by that of bovine PIV3 is attenuated in primates.

J Virol. 2000 Apr;74(7):3188-95.

PMID: 10708435 [PubMed - indexed for MEDLINE]

- ☐ 11: Tao T, Davoodi F, Cho CJ, Skiadopoulos MH, Durbin AP, Collins PL, Murphy BR. Related Articles

A live attenuated recombinant chimeric parainfluenza virus (PIV) candidate vaccine containing the hemagglutinin-neuraminidase and fusion glycoproteins of PIV1 and the remaining proteins from PIV3 induces resistance to PIV1 even in animals immune to PIV3.

Vaccine. 2000 Jan 31;18(14):1359-66.

PMID: 10618533 [PubMed - indexed for MEDLINE]

- ☐ 12: Skiadopoulos MH, Tao T, Surman SR, Collins PL, Murphy BR. Related Articles

Generation of a parainfluenza virus type 1 vaccine candidate by replacing the HN and F glycoproteins of the live-attenuated PIV3 cp45 vaccine virus with their PIV1 counterparts.

Vaccine. 1999 Oct 14;18(5-6):503-10.

PMID: 10519940 [PubMed - indexed for MEDLINE]

- ☐ 13: Tao T, Skiadopoulos MH, Durbin AP, Davoodi F, Collins PL, Murphy BR. Related Articles

A live attenuated chimeric recombinant parainfluenza virus (PIV) encoding the internal proteins of PIV type 3 and the surface glycoproteins of PIV type 1 induces complete resistance to PIV1 challenge and partial resistance to PIV3 challenge.

Vaccine. 1999 Mar 5;17(9-10):1100-8.

PMID: 10195620 [PubMed - indexed for MEDLINE]

- ☐ 14: Takimoto T, Bousse T, Coronel EC, Scroggs RA, Portner A. Related Articles

Cytoplasmic domain of Sendai virus HN protein contains a specific sequence required for its incorporation into virions.

J Virol. 1998 Dec;72(12):9747-54.

PMID: 9811709 [PubMed - indexed for MEDLINE]

- ☐ 15: Tao T, Durbin AP, Whitehead SS, Davoodi F, Collins PL, Murphy BR. Related Articles, Nucleotide, Protein

Recovery of a fully viable chimeric human parainfluenza virus (PIV) type 3 in which the hemagglutinin-neuraminidase and fusion glycoproteins have been replaced by those of PIV type 1.

J Virol. 1998 Apr;72(4):2955-61.

PMID: 9525616 [PubMed - indexed for MEDLINE]

- ☐ 16: Tsurudome M, Ito M, Nishio M, Kawano M, Okamoto K, Kusagawa S, Komada H, Ito Y. Related Articles

Identification of regions on the fusion protein of human parainfluenza virus type 2 which are required for haemagglutinin-neuraminidase proteins to promote cell fusion.

J Gen Virol. 1998 Feb;79 (Pt 2):279-89.

PMID: 9472612 [PubMed - indexed for MEDLINE]

- ☐ 17: Murphy SK, Ito Y, Parks GD. Related Articles

A functional antigenomic promoter for the paramyxovirus simian virus 5 requires proper spacing between an essential internal segment and the 3' terminus.

J Virol. 1998 Jan;72(1):10-9.

PMID: 9420195 [PubMed - indexed for MEDLINE]

- ☐ 18: Deng R, Mirza AM, Mahon PJ, Iorio RM. Related Articles

Functional chimeric HN glycoproteins derived from Newcastle disease virus and human parainfluenza virus-3.

Arch Virol Suppl. 1997;13:115-30.

PMID: 9413532 [PubMed - indexed for MEDLINE]

- ☐ 19: Durbin AP, Hall SL, Siew JW, Whitehead SS, Collins PL, Murphy BR. Related Articles, Nucleotide, Protein

Recovery of infectious human parainfluenza virus type 3 from cDNA.

Virology. 1997 Sep 1;235(2):323-32.

PMID: 9281512 [PubMed - indexed for MEDLINE]

- ☐ 20: Watanabe N, Kawano M, Tsurudome M, Nishio M, Ito M, Ohgimoto S, Suga S, Komada H, Ito Y. Related Articles

Binding of the V proteins to the nucleocapsid proteins of human parainfluenza type 2 virus.

Med Microbiol Immunol (Berl). 1996 Sep;185(2):89-94.

PMID: 8884740 [PubMed - indexed for MEDLINE]

Display	Summary	Sort	Save	Text	Clip/Add	Order
Show: 20	Items 1-20 of 42	Page 1 of 3	Select page: 1 2 3			

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer

sparc-sun-solaris2.8 Oct 23 2001 10:15:28



PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	MIM	Bo
Search PubMed	for						Go	Clear
Limits		Preview/Index		History		Clipboard		Details
Display	Summary	Sort	Save	Text	Clip Add	Order		
Show: 20	Items 1-20 of 100		Page 1 of 5		Select page: 1 2 3 4 5			

Entrez PubMed

PubMed Services

Related Resources

- ☐ **1:** Haller AA, MacPhail M, Mitiku M, Tang RS. Related Articles
A single amino acid substitution in the viral polymerase creates a temperature-sensitive and attenuated recombinant bovine parainfluenza virus type 3.
Virology. 2001 Sep 30;288(2):342-50.
PMID: 11601905 [PubMed - in process]
- ☐ **2:** Haller AA, Miller T, Mitiku M, Coelingh K. Related Articles
Expression of the surface glycoproteins of human parainfluenza virus type 3 by bovine parainfluenza virus type 3, a novel attenuated virus vaccine vector.
J Virol. 2000 Dec;74(24):11626-35.
PMID: 11090161 [PubMed - indexed for MEDLINE]
- ☐ **3:** Lee MS, Greenberg DP, Yeh SH, Yogev R, Reisinger KS, Ward JJ, Blatter MM, Cho I, Holmes SJ, Cordova JM, August MJ, Chen W, Mehta HB, Coelingh KL, Mendelman PM. Related Articles
Antibody responses to bovine parainfluenza virus type 3 (piv3) vaccination and human piv3 infection in young infants.
J Infect Dis. 2001 Oct 1;184(7):909-13.
PMID: 11509996 [PubMed - in process]
- ☐ **4:** Schmidt AC, McAuliffe JM, Huang A, Surman SR, Bailly JE, Elkins WR, Collins PL, Murphy BR, Skiadopoulos MH. Related Articles
Bovine parainfluenza virus type 3 (BPIV3) fusion and hemagglutinin-neuraminidase glycoproteins make an important contribution to the restricted replication of BPIV3 in primates.
J Virol. 2000 Oct;74(19):8922-9.
PMID: 10982335 [PubMed - indexed for MEDLINE]
- ☐ **5:** Trybala E, Larski Z, Wisniewski J. Related Articles
The effect of some physical and serological treatments on haemofusing activity of bovine parainfluenza virus type 3.
Acta Microbiol Pol. 1991;40(1-2):59-64.
PMID: 1725092 [PubMed - indexed for MEDLINE]
- ☐ **6:** Bailly JE, McAuliffe JM, Skiadopoulos MH, Collins PL, Murphy BR. Related Articles, Genome, Nucleotide, Protein
Sequence determination and molecular analysis of two strains of bovine parainfluenza virus type 3 that are attenuated for primates.
Virus Genes. 2000;20(2):173-82.
PMID: 10872880 [PubMed - indexed for MEDLINE]

- ☐ 7: Breker-Klassen MM, Yoo D, Mittal SK, Sorden SD, Haines DM, Babiuk LA. Related Articles, Nucleotide, Protein
Recombinant type 5 adenoviruses expressing bovine parainfluenza virus type 3 glycoproteins protect *Sigmodon hispidus* cotton rats from bovine parainfluenza virus type 3 infection.
J Virol. 1995 Jul;69(7):4308-15.
PMID: 7769692 [PubMed - indexed for MEDLINE]

- ☐ 8: Toth TE, Gates C. Related Articles
Lack of virus-specific bacterial adherence to bovine embryonic lung cells infected with bovine parainfluenza virus type 3.
J Clin Microbiol. 1983 Mar;17(3):561-3. No abstract available.
PMID: 6302133 [PubMed - indexed for MEDLINE]

- ☐ 9: Bailly JE, McAuliffe JM, Durbin AP, Elkins WR, Collins PL, Murphy BR. Related Articles
A recombinant human parainfluenza virus type 3 (PIV3) in which the nucleocapsid N protein has been replaced by that of bovine PIV3 is attenuated in primates.
J Virol. 2000 Apr;74(7):3188-95.
PMID: 10708435 [PubMed - indexed for MEDLINE]

- ☐ 10: Shibuta H, Kanda T, Adachi A, Yogo Y. Related Articles
Characterization of bovine parainfluenza virus type 3.
Microbiol Immunol. 1979;23(7):617-28.
PMID: 228163 [PubMed - indexed for MEDLINE]

- ☐ 11: Skiadopoulos MH, Durbin AP, Tatem JM, Wu SL, Paschalis M, Tao T, Collins PL, Murphy BR. Related Articles
Three amino acid substitutions in the L protein of the human parainfluenza virus type 3 cp45 live attenuated vaccine candidate contribute to its temperature-sensitive and attenuation phenotypes.
J Virol. 1998 Mar;72(3):1762-8.
PMID: 9499025 [PubMed - indexed for MEDLINE]

- ☐ 12: van Wyke Coelingh KL, Winter CC, Tierney EL, London WT, Murphy BR. Related Articles
Attenuation of bovine parainfluenza virus type 3 in nonhuman primates and its ability to confer immunity to human parainfluenza virus type 3 challenge.
J Infect Dis. 1988 Apr;157(4):655-62.
PMID: 2831282 [PubMed - indexed for MEDLINE]

- ☐ 13: Skiadopoulos MH, Surman SR, St Claire M, Elkins WR, Collins PL, Murphy BR. Related Articles
Attenuation of the recombinant human parainfluenza virus type 3 cp45 candidate vaccine virus is augmented by importation of the respiratory syncytial virus cpts530 L polymerase mutation.
Virology. 1999 Jul 20;260(1):125-35.
PMID: 10405364 [PubMed - indexed for MEDLINE]

- ☐ 14: Stokes A, Tierney EL, Sarris CM, Murphy BR, Hall SL. Related Articles, Nucleotide, Protein
The complete nucleotide sequence of two cold-adapted, temperature-sensitive attenuated mutant vaccine viruses (cp12 and cp45) derived from the JS strain of human parainfluenza virus type 3 (PIV3).
Virus Res. 1993 Oct;30(1):43-52.
PMID: 8266719 [PubMed - indexed for MEDLINE]

- ☐ 15: Breker-Klassen MM, Yoo D, Babiuk LA. Related Articles

Comparisons of the F and HN gene sequences of different strains of bovine parainfluenza virus type 3: relationship to phenotype and pathogenicity.

Can J Vet Res. 1996 Jul;60(3):228-36.

PMID: 8809388 [PubMed - indexed for MEDLINE]

- ☐ 16: Durbin AP, Hall SL, Siew JW, Whitehead SS, Collins PL, Murphy BR. Related Articles, Nucleotide, Protein

Recovery of infectious human parainfluenza virus type 3 from cDNA.

Virology. 1997 Sep 1;235(2):323-32.

PMID: 9281512 [PubMed - indexed for MEDLINE]

- ☐ 17: Klippmark E, Rydbeck R, Shibuta H, Norrby E. Related Articles

Antigenic variation of human and bovine parainfluenza virus type 3 strains.

J Gen Virol. 1990 Jul;71 (Pt 7):1577-80.

PMID: 1695673 [PubMed - indexed for MEDLINE]

- ☐ 18: Ray R, Galinski MS, Heminway BR, Meyer K, Newman FK, Belshe RB. Related Articles

Temperature-sensitive phenotype of the human parainfluenza virus type 3 candidate vaccine strain (cp45) correlates with a defect in the L gene.

J Virol. 1996 Jan;70(1):580-4.

PMID: 8523574 [PubMed - indexed for MEDLINE]

- ☐ 19: Karron RA, Wright PF, Hall SL, Makhene M, Thompson J, Burns BA, Tollefson S, Steinhoff MC, Wilson MH, Harris DO, et al. Related Articles

A live attenuated bovine parainfluenza virus type 3 vaccine is safe, infectious, immunogenic, and phenotypically stable in infants and children.

J Infect Dis. 1995 May;171(5):1107-14.

PMID: 7751684 [PubMed - indexed for MEDLINE]

- ☐ 20: Asamura S, Hodes DS. Related Articles

Properties of temperature-sensitive mutants of parainfluenza virus type 3 selected during the course of persistent infection.

Arch Virol. 1985;84(3-4):291-6.

PMID: 2986583 [PubMed - indexed for MEDLINE]

Display	Summary	▼	Sort	▼	Save	Text	Clip Add	Order		
Show:	20	▼	Items 1-20 of 100	Page 1 of 5	Select page:	1	2	3	4	5

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer

sparc-sun-solaris2.8 Oct 23 2001 10:15:28

d 17 1-5

L7 ANSWER 1 OF 5 MEDLINE
AN 2001556233 IN-PROCESS
DN 21488919 PubMed ID: 11601905
TI A single amino acid substitution in the viral polymerase creates a temperature-sensitive and attenuated recombinant **bovine parainfluenza virus type 3**.
AU Haller A A; MacPhail M; Mitiku M; Tang R S
CS Aviron, 297 North Bernardo Avenue, Mountain View, California, 94043.
SO VIROLOGY, (2001 Sep 30) 288 (2) 342-50.
Journal code: XEA; 0110674. ISSN: 0042-6822.
CY United States
DT Journal; Article; (JOURNAL ARTICLE)
LA English
FS IN-PROCESS; NONINDEXED; Priority Journals
ED Entered STN: 20011017
Last Updated on STN: 20011017

L7 ANSWER 2 OF 5 MEDLINE
AN 2001534443 MEDLINE
DN 21465075 PubMed ID: 11581420
TI A **chimeric human-bovine parainfluenza virus type 3** expressing measles virus hemagglutinin is attenuated for replication but is still immunogenic in rhesus monkeys.
AU Skiadopoulos M H; Surman S R; Riggs J M; Collins P L; Murphy B R
CS Respiratory Viruses Section, Laboratory of Infectious Diseases, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Bethesda, Maryland 20892, USA.. mskiadopoulos@niaid.nih.gov
SO JOURNAL OF VIROLOGY, (2001 Nov) 75 (21) 10498-504.
Journal code: KCV; 0113724. ISSN: 0022-538X.
CY United States
DT Journal; Article; (JOURNAL ARTICLE)
LA English
FS Priority Journals
EM 200110
ED Entered STN: 20011003
Last Updated on STN: 20011029
Entered Medline: 20011025

L7 ANSWER 3 OF 5 MEDLINE
AN 2001490808 MEDLINE
DN 21424521 PubMed ID: 11533200
TI **Chimeric** bovine respiratory syncytial virus with attachment and fusion glycoproteins replaced by **bovine parainfluenza virus type 3** hemagglutinin-neuraminidase and fusion proteins.
AU Stope M B; Karger A; Schmidt U; Buchholz U J
CS Institute of Molecular Biology, Friedrich-Loeffler-Institutes, Federal Research Centre for Virus Diseases of Animals, D-17498 Insel Riems, Germany.
SO JOURNAL OF VIROLOGY, (2001 Oct) 75 (19) 9367-77.
Journal code: KCV; 0113724. ISSN: 0022-538X.
CY United States
DT Journal; Article; (JOURNAL ARTICLE)
LA English
FS Priority Journals
EM 200110
ED Entered STN: 20010905
Last Updated on STN: 20011015
Entered Medline: 20011011

L7 ANSWER 4 OF 5 MEDLINE
 AN 2000473536 MEDLINE
 DN 20438086 PubMed ID: 10982335
 TI **Bovine parainfluenza virus type**
 3 (BPIV3) fusion and hemagglutinin-neuraminidase glycoproteins
 make an important contribution to the restricted replication of BPIV3 in
 primates.
 AU Schmidt A C; McAuliffe J M; Huang A; Surman S R; Bailly J E; Elkins W R;
 Collins P L; Murphy B R; Skiadopoulos M H
 CS Laboratory of Infectious Disease, National Institute of Allergy and
 Infectious Diseases, National Institutes of Health, Bethesda, Maryland
 20892, USA.. aschmidt@niaid.nih.gov
 SO JOURNAL OF VIROLOGY, (2000 Oct) 74 (19) 8922-9.
 Journal code: KCV; 0113724. ISSN: 0022-538X.
 CY United States
 DT Journal; Article; (JOURNAL ARTICLE)
 LA English
 FS Priority Journals
 EM 200010
 ED Entered STN: 20001012
 Last Updated on STN: 20001012
 Entered Medline: 20001004

L7 ANSWER 5 OF 5 MEDLINE
 AN 2000173709 MEDLINE
 DN 20173709 PubMed ID: 10708435
 TI A recombinant human parainfluenza virus type 3 (PIV3) in which the
 nucleocapsid N protein has been replaced by that of bovine PIV3 is
 attenuated in primates.
 AU Bailly J E; McAuliffe J M; Durbin A P; Elkins W R; Collins P L; Murphy B R
 CS Laboratory of Infectious Diseases, National Institute of Allergy and
 Infectious Diseases, National Institutes of Health, Bethesda, Maryland
 20892, USA.
 SO JOURNAL OF VIROLOGY, (2000 Apr) 74 (7) 3188-95.
 Journal code: KCV; 0113724. ISSN: 0022-538X.
 CY United States
 DT Journal; Article; (JOURNAL ARTICLE)
 LA English
 FS Priority Journals
 EM 200004
 ED Entered STN: 20000413
 Last Updated on STN: 20000413
 Entered Medline: 20000407

d 15 1-2

L5 ANSWER 1 OF 2 MEDLINE
AN 2000473536 MEDLINE
DN 20438086 PubMed ID: 10982335
TI Bovine parainfluenza virus type 3 (BPIV3) fusion and hemagglutinin-neuraminidase glycoproteins make an important contribution to the restricted replication of BPIV3 in primates.
AU Schmidt A C; McAuliffe J M; Huang A; Surman S R; Bailly J E; Elkins W R; Collins P L; Murphy B R; Skiadopoulos M H
CS Laboratory of Infectious Disease, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Bethesda, Maryland 20892, USA.. aschmidt@niaid.nih.gov
SO JOURNAL OF VIROLOGY, (2000 Oct) 74 (19) 8922-9.
Journal code: KCV; 0113724. ISSN: 0022-538X.
CY United States
DT Journal; Article; (JOURNAL ARTICLE)
LA English
FS Priority Journals
EM 200010
ED Entered STN: 20001012
Last Updated on STN: 20001012
Entered Medline: 20001004

L5 ANSWER 2 OF 2 MEDLINE
AN 1999209995 MEDLINE
DN 99209995 PubMed ID: 10195620
TI A live attenuated **chimeric** recombinant parainfluenza virus (PIV) encoding the internal proteins of PIV type 3 and the surface glycoproteins of PIV type 1 induces complete resistance to PIV1 challenge and partial resistance to PIV3 challenge.
AU Tao T; Skiadopoulos M H; Durbin A P; Davoodi F; Collins P L; Murphy B R
CS Laboratory of Infectious Disease, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Bethesda, MD 20892-0720, USA.. ttao@atlas.niaid.nih.gov
NC AI-000087 (NIAID)
SO VACCINE, (1999 Mar 5) 17 (9-10) 1100-8.
Journal code: X60; 8406899. ISSN: 0264-410X.
CY ENGLAND: United Kingdom
DT Journal; Article; (JOURNAL ARTICLE)
LA English
FS Priority Journals
EM 199906
ED Entered STN: 19990614
Last Updated on STN: 19990614
Entered Medline: 19990602